

CONTENTS

Volume 30, Issue Nos 1-12 (2001)

EARTHQUAKE ENGINEERING AND STRUCTURAL DYNAMICS

Issue No. 1, JANUARY

Earthquake response analysis of the Hualien soil-structure interaction system based on updated soil properties using forced vibration test data: J-S. Choi, C-B. Yun and J-M. Kim	1
Numerical modeling of MDOF structures with sliding supports using rigid-plastic link: A. Vafai, M. Hamidi and G. Ahmadi.....	27
Free-vibration analysis of a three-dimensional soil-structure system: J. L. Wegner and X. Zhang.....	43
Modified state-space procedures for pseudodynamic testing: Y-P. Wang, C-L. Lee and T-H. Yo.....	59
Estimation of relative displacement of two adjacent asymmetric structures: H. Hao and J. Shen	81
Structural response for stochastic kinematic interaction: M. Hadid and M. K. Berrah..	97
Rigid-plastic approximation to predict plastic motion under strong earthquakes: A. Paglietti and M. C. Porcu.....	115
A technique for the reduction of dynamic degrees of freedom: G. C. Archer	127

Issue No. 2, FEBRUARY

One-year monitoring of the Z24-Bridge: environmental effects versus damage events: B. Peeters and G. De Roeck	149
Detection of soil liquefaction from strong motion records: M. V. Kostadinov and F. Yamazaki	173
Active viscous damping system for control of MDOF structures: Y. Ribakov, J. Gluck and A. M. Reinhorn	195
Feedback-feedforward control of offshore platforms under random waves: J. Suhardjo and A. Kareem.....	213

Indexed or abstracted by American Geological Institute; Applied Mechanics Reviews; Applied Science & Technology Abstracts (H. W. Wilson); Cambridge Scientific Abstracts; Current Contents®/Engineering, Computing & Technology (ISI); Earthquake Engineering Abstracts (NISEE); Ei COMPENDEX PLUS; Ei Page One; Environment Abstracts (CIS); Fluidex (Elsevier); GeoArchive (Geosystems); Geobase (Elsevier); Geological Abstracts (Elsevier); GeoRef; GeoSEARCH (Geosystems); Geotechnical Abstracts (Geotext Services); Geotitles: Geoarchaeology (Geosystems); Groundwater & Soil Contamination Database; Indian Society of Earthquake Technology Bulletin; International Bibliographies of Periodical Literature (IBR & IBZ); International Civil Engineering Abstracts (Anbar); International Petroleum Abstracts; ISI Alerting Services; Mechanics; Science Citation Index Expanded (also known as SciSearch®) (ISI); Science Citation Index® (ISI); Shock & Vibration Digest (Sage).

Modal control of seismic structures using augmented state matrix: L-Y. Lu and L-L. Chung	237
Dynamics of elastic—plastic shear frames with secondary structures: shake table and numerical studies: C. Adam.....	257
Response spectrum of incompatible acceleration, velocity and displacement histories: P. K. Malhotra.....	279
Optimal design of a base isolated system for a high-rise steel structure: H. Kaplan and A. Seireg	287
BOOK RECEIVED	303

Issue No. 3, MARCH

Simulation of structural response under high-frequency ground excitation: Y. Lu, H. Hao, G. Ma and Y. Zhou.....	307
Seismic interaction in linearly connected electrical substation equipment: A. Der Kiureghian, J. L. Sackman and K-J. Hong.....	327
A reduced-order modeling technique for tall buildings with active tuned mass damper: Z-Q. Qu, Y. Shi and H. Hua.....	349
On the accuracy of simplified methods for the analysis of isolated bridges: P. Franchin, G. Monti and P. E. Pinto.....	363
Transverse response of underground cavities and pipes to incident SV waves: C. A. Davis, V. W. Lee and J. P. Bardet.....	383
Effects of supplemental viscous damping on inelastic seismic response of asymmetric systems: R. K. Goel and C. A. Booker.....	411
Improved control algorithm for real-time substructure testing: A. P. Darby, A. Blakeborough and M. S. Williams.....	431
Application of semi-active tuned mass dampers to base-excited systems: M. Setareh	449

Issue No. 4, APRIL

Unsupervised fuzzy neural network structural active pulse controller: S.-L. Hung and C. M. Lai.....	465
Evaluation of seismic energy demand: G. Manfredi.....	485
Improved dynamic correction method in seismic analysis of both classically and non-classically damped structures: A. D'Aveni and G. Muscolino	501

VOLUME CONTENTS

v

A new method for non-stationary random critical excitation: I. Takewaki	519
Inelastic buildings with tuned mass dampers under moderate ground motions from distant earthquakes: P. Lukkunaprasit and A. Wanitkorkul	537
Optimal seismic response control with dampers: M. P. Singh and L. M. Moreschi.....	553
Systematic assessment of irregular building-soil interaction using efficient modal analysis: W.-H. Wu, J.-F. Wang and C.-C. Lin	573
Deterministic and stochastic analyses of a nonlinear system with a Biot visco-elastic element: P. D. Spanos and S. Tsavachidis	595
SHORT COMMUNICATION	
Solution of dynamic response of SDOF system using piecewise Lagrange polynomial: J. L. Liu	613

Issue No. 5, MAY

Ground motion amplification at flange level of bushings mounted on electric substation transformers: R. Villaverde, G. C. Pardoen and S. Carnalla	621
Pounding of structures modelled as non-linear impacts of two oscillators: K. T. Chau and X. X. Wei	633
Duration of strong ground motion during Mexican earthquakes in terms of magnitude, distance to the rupture area and dominant site period: E. Reinoso and M. Ordaz	653
Scattering of elastic waves by a general anisotropic basin. Part 1: a 2D model: M. Dravinski and M. S. Wilson	675
Base isolation for near-fault motions: R. S. Jangid and J. M. Kelly.....	691
Response of tall buildings to weak long distance earthquakes: J. M. W. Brownjohn and T. C. Pan	709
A nonlinear numerical model for sloped-bottom tuned liquid dampers: D. E. Olson and D. A. Reed	731
Dynamic behavior of perimeter lateral-system structures with flexible diaphragms: R. B. Fleischman and K. T. Farrow	745
Three-dimensional dynamic response of underground openings in saturated rock masses: S.-H. Kim and K.-J. Kim.....	765
BOOKS RECEIVED.....	785

Issue No. 6, JUNE

Estimation of strong motion distribution in the 1995 Kobe earthquake based on building damage data: N. Yamaguchi and F. Yamazaki	787
Consistency of dynamic site response at Port Island: L. G. Baise, S. D. Glaser and T. Sugano	803
Shaking table tests of 1:4 reduced-scale models of masonry infilled reinforced concrete frame buildings: R. Žarnić, S. Gostič, A. J. Crewe and C. A. Taylor	819
Optimal control of linear buildings under seismic excitations: U. Aldemir, M. Bakioglu and S. S. Akhiev	835
Discrete-time variable structure control of seismically excited building structures: X. Lu and B. Zhao	853
Substructuring of dynamical systems via the adaptive minimal control synthesis algorithm: D. J. Wagg and D. P. Stoten	865
Numerical study of Ashiyahama residential building damage in the Kobe Earthquake: H. Takabatake and T. Nonaka	879
Time-domain analysis of unbounded media using mixed-variable formulations: P. Ruge, C. Trinks and S. Witte	899
Multi-level design model and genetic algorithm for structural control system optimization: Q. S. Li, D. K. Liu, N. Zhang, C. M. Tam and L. F. Yang	927

Issue No. 7, JULY

Generalized minimum variance control for buildings under seismic ground motion: L. Guenfaf, M. Djebiri, M. S. Boucherit and F. Boudjema	945
Active tendon control of cable-stayed bridges: a large scale demonstration: F. Bossens and A. Preumont	961
A preliminary prediction of seismic damage-based degradation in RC structures: V. K. Gupta, S. R. K. Nielsen and P. H. Kirkegaard	981
Real-time model predictive control of structures under earthquakes: G. Mei, A. Kareem and J. C. Kantor	995
Generating multiple spectrum compatible accelerograms using stochastic neural networks: C.-C. J. Lin and J. Ghaboussi	1021
Isoductile strengths and strength reduction factors of elasto-plastic SDOF systems subjected to simple waveforms: I. Cuesta and M. A. Aschheim	1043
Evaluation of the seismic response of masonry buildings based on energy functions: D. Benedetti, P. Carydis and M. P. Limongelli	1061
Seismic isolation of rigid cylindrical tanks using friction pendulum bearings: Y-P. Wang, M-C. Teng and K-W. Chung	1083

Issue No. 8, AUGUST

Bayesian spectral density approach for modal updating using ambient data: L. S. Katafygiotis and K.-V. Yuen	1103
Base isolation for retrofitting historic buildings: Evaluation of seismic performance through experimental investigation: A. De Luca, E. Mele, J. Molina, G. Verzeletti and A. V. Pinto	1125
An experimental investigation of water level effects on the dynamic behaviour of a large arch dam: J. Proulx, P. Paultre, J. Rheault and Y. Robert.....	1147
Placement of sensors/actuators on civil structures using genetic algorithms: M. M. Abdullah, A. Richardson and J. Hanif.....	1167
Use of a shared tuned mass damper (STMD) to reduce vibration and pounding in adjacent structures: M. M. Abdullah, J. H. Hanif, A. Richardson and J. Sobanjo	1185
Gray box identification of flexible structures: application to robust active vibration suppression of control: A. Forrai, S. Hashimoto, A. Isojima, H. Funato and K. Kamiyama	1203
Optimal displacement feedback control law for active tuned mass damper: I. Nagashima	1221
A new proposal for simplified design of buried steel pipes crossing active faults: S. Takada, N. Hassani and K. Fukuda	1243

Issue No. 9, SEPTEMBER

Direct use of design criteria in genetic algorithm-based controller optimization: Y.-J. Kim and J. Ghaboussi	1261
On-line identification of non-linear hysteretic structural systems using a variable trace approach: J.-W. Lin, R. Betti, A.-W. Smyth and R. W. Longman	1279
Stochastic models for simulation of strong ground motion in Iceland: S. Ólafsson, S. Remseth and R. Sigbjörnsson.....	1305
Key parameters governing the performance of soft tunnel coating for seismic isolation: D.-S. Kim and K. Konagai	1333
Probabilistic critical excitation for MDOF elastic-plastic structures on compliant ground: I. Takewaki	1345
Neuro-control of seismically excited steel structure through sensitivity evaluation scheme: D.-H. Kim and I.-W. Lee.....	1361
Evaluation of combination rules for maximum response calculation in multicomponent seismic analysis: O. A. López, A. K. Chopra and J. J. Hernández ..	1379
Simplified analysis of asymmetric structures with supplemental damping: R. K. Goel	1399

Issue No. 10, OCTOBER

Non-stationary seismic response of tanks with soil interaction by wavelets: P. Chatterjee and B. Basu.....	1419
A displacement-based seismic design procedure for RC buildings and comparison with EC8: T. B. Panagiotakos and M. N. Fardis.....	1439
Feasibility of using impedance-based damage assessment for pipeline structures: G. Park, H. H. Cudney and D. J. Inman.....	1463
Understanding and predicting effects of supplemental viscous damping on seismic response of asymmetric one-storey systems: W.-H. Lin and A. K. Chopra	1475
Evaluation of response and energy in actively controlled structures: K. K. F. Wong and R. Yang	1495
Relative displacement response spectra with pounding effect: A. Ruangrassamee and K. Kawashima	1511
Probability analysis of seismic pounding of adjacent buildings: J.-H. Lin and C.-C. Weng.....	1539

Issue No. 11, NOVEMBER

**Special Issue on 'Practical Applications of Active and Semi-active Structural Control
Systems to Actual Civil Engineering Structures'**

INTRODUCTION.....	1561
PREFACE	1563
Overview of the application of active/semiactive control to building structures in Japan: A. Nishitani and Y. Inoue.....	1565
Active mass driver system as the first application of active structural control: Y. Ikeda, K. Sasaki, M. Sakamoto and T. Kobori.....	1575
Active variable stiffness system with non-resonant control: T. Nasu, T. Kobori, M. Takahashi, N. Niwa and K. Ogasawara	1597
Performance of hybrid mass damper system applied to a 36-storey high-rise building: I. Nagashima, R. Maseki, Y. Asami, J. Hirai and H. Abiru	1615
A hybrid mass damper system controlled by H^∞ control theory for reducing bending- torsion vibration of an actual building: T. Fujinami, Y. Saito, M. Morishita, Y. Koike and K. Tanida	1639
Response control performance of a hybrid mass damper applied to a tall building: M. Watakabe, M. Tohdo, O. Chiba, N. Izumi, H. Ebisawa and T. Fujita.....	1655

Vibration control characteristics of a hybrid mass damper system installed in tall buildings: T. Saito, K. Shiba and K. Tamura	1677
Practical applications of active mass dampers with hydraulic actuator: M. Yamamoto, S. Aizawa, M. Higashino and K. Toyama	1697
Hybrid mass dampers using two types of electric servomotors: AC servomotors and linear-induction servomotors: Y. Nakamura, K. Tanaka, M. Nakayama and T. Fujita	1719

Issue No. 12, DECEMBER

Effectiveness of structural control based on control energy perspectives: K. K. F. Wong and R. Yang	1747
Comparing response of SDF systems to near-fault and far-fault earthquake motions in the context of spectral regions: A. K. Chopra and C. Chintanapakdee	1769
Hysteretic energy spectrum and damage control: R. Riddell and J. E. Garcia	1791
Numerical simulation of reservoir sediment and effects on hydro-dynamic response of arch dams: C. Zhang, C. Yan and G. Wang	1817
Effect of earthquake ground motions on fragility curves of highway bridge piers based on numerical simulation: K. R. Karim and F. Yamazaki	1839
Modal identification of structures from ambient vibration, free vibration, and seismic response data via a substance approach: C. S. Huang and H. L. Lin	1857
AUTHOR INDEX	1881
KEY WORD INDEX	1883